

CATALOG

WARNING TAPE REEL

No. E18/AN





Packaging contains, depending on the articles, one or more of the following materials; they must be recycled in accordance with current regulations in the country of use.

cardboard ullet polyethylene sack ullet polystyrene ullet paper ullet wood ullet nails ullet plastic strap ullet cellophane ullet clips ullet gummed paper



### **OUR STRENGTHS**

The widest range of technology for fluidynamics designed to meet all the needs of our clients with cutting-edge solutions, even the most specific.

The quality, reliability and design that have always distinguished the Ecodora brand in the global market.

A technical service before and after sales to recommend the most suitable product according to the customer's needs as well as to provide support to the end users.

## **OUR GOALS**

To develop a long lasting cooperation with our customers by listening to their needs and their expectations.

To meet every user's need by offering only high quality products.




www.ecodora.com info@ecodora.com







- ▶ AISI 304 stainless steel automatic hose guide suitable for potential corrosive atmospheres.
- ▶ Repeated spring stress-tests guarantee decades of life and efficiency.
- ▶ Speed control rewinding brake is available as accessory with specific P/N.
- ► Carabiner hook in aluminum as standard with the selected tape.
- ▶ White-red and yellow-black tapes available.
- ▶ Stopping pawl easy to remove for maintenance or when the work requires free sliding.
- ► Anti-shook technopolymer protecting cover.
- ► Fixing bracket that can be rotated up to 90° per side and with 2 slotted holes for safe, easy installation.
- ▶ The bracket can be locked in place with a screw, making the cable reel fixed.





# Technical Characteristics

- TAPE GUIDE in AISI 304 stainless steel.
- STOPPING PAWL
  easy to remove for maintenance or when the work requires free sliding.
- CARABINER HOOK in aluminum.
- DELIMITATION TAPE
  white-red and yellow-black tapes available.
- 5 SPRING tested to withstand over 20000 work cycles.
- FIXING BRACKET can be rotated up to 90° per side and has 2 slotted holes for safe, easy installation.
- BAYONET BRACKET
  lets you quickly move the hose tape around the various workstations.

info@ecodora.com www.ecodora.com




## **ECODORA** Warning tape reel in technopolymer S. 280


**ECODORA** warning tape reels are the ideal solution for all those situations where it's necessary or mandatory to delimit the dangerous working areas both for the operators and the external people. There are many applications examples: fuel loading on tanks in service stations or goods and luggage unloading in airport. The warning tape reel is designed to satisfy the main ECODORA quality characteristics in terms of structure and durability.





#### **OVERALL DIMENSIONS (mm)**

#### **Overall dimensions without** bayonet bracket (mm)












## Overall dimensions with bayonet bracket (mm)









N° 40 packages per pallet





P/N	Tape color	Length	Weight
42800/010	White - Red	16 m	5,7 kg
42800/020	Yellow - Black	16 m	5,7 kg
42800/028	White - Red	28 m	6,6 kg
42800/029	Yellow - Black	28 m	6,6 kg

Dimensioni d'ingombro del nastro di delimitazione	Larghezza	Spessore	Lunghezza
	40 mm	1,5 mm	16 m

#### **SPEED CONTROL**

The versions listed below come with clutch so that tape rewinding can be performed at a controlled speed. They are marked by the SPEED CONTROL dataplate.

P/N	Tape color	Length	Weight
42840/010	White - Red	16 m	6,1 kg
42840/020	Yellow - Black	16 m	6,1 kg
42840/028	White - Red	28 m	7,0 kg
42840/029	Yellow - Black	28 m	7,0 kg

Overall dimensions of the delimitation tape	Width	Thickness	Length
	40 mm	1,5 mm	16 - 28 m

## Related products



P/N	Type of cable	Cable length
0E1064P	1 x 6 - PUR	14,5 m
0E1064PF	1 x 6 - PUR	1 <i>4,</i> 5 m



P/N	Type of cable	Cable length
OE735131.60141	1 x 6 - PUR	1 <i>4,</i> 5 m
OE735131.60261	1 x 6 - PUR	26 m

# Examples of warning tape reel with accessories

# Accessory











Ecodora S.r.l. Vicenza - Italy tel. +39 0424 570891 fax +39 0424 571354 www.ecodora.com info@ecodora.com



